

Technical Data Sheet



Niruadd-FR

Flame Retardant Compound

Nirumand Polymer

Nirumand Polymer Co.
Filled & Reinforced Engineering Plastics

Product Description

Niruadd-FR is an especial PP compound having self-extinguishability making it much safer for the use in the electrical goods, housewares and home appliance applications complying with the UL-94 regulations, widely accepted fire safety standard. Niruadd-FR provides excellent balance of mechanical properties and processability within flame retardant properties.

General Properties

Material Status	•Commercial: Active
Forms	•Pellets
Processing Method	•Injection molding
Appearance	•Natural

Physical Properties	Value	Unit	Test Method
Density	2.3	gr/cm ³	ISO 1183

Usage

Niruadd-FR can be physically added to the neat PP. The recommended minimum quantity to obtain V-0 value of flame retardancy is about 10 % by weight. The addition level will vary depending on the application of product and required self-extinguishability.

Special characteristics

- The excellent dispersion of the additives in the base resin
- Easy processing without affecting the mechanical properties of the finished product
- Eliminate microscopic phase separation in finished products.

◆ Values shown are average & are not to be considered as product specifications.

Web-site: www.npolymer.com
Address: Abbas abad Industrial Zone-Tehran-Iran

E-mail: Sales@npolymer.com, Trade@npolymer.com
Tel & Fax: (+9821)35000234